





Shower hinge | SH0406

**Features**  
EN 1935 certified  
Self-closes within 25 degrees of closed position  
90-degree glass-to-wall connection  
For 8-12 mm glass  
Maximum load: 45 kg per pair  
Non-handed  
Material: brass  
Finishes: CP/SC/SN/PVD




Shower hinge | SH0405

**Features**  
EN 1935 certified  
Self-closes within 25 degrees of closed position  
90-degree glass-to-wall connection  
For 8-12 mm glass  
Maximum load: 45 kg per pair  
Non-handed  
Material: brass  
Finishes: CP/SC/SN/PVD




Shower hinge | SH0202

**Features**  
EN 1935 certified  
Self-closes within 25 degrees of closed position  
90-degree glass-to-glass connection  
For 8-12 mm glass  
Maximum load: 45 kg per pair  
Non-handed  
Material: brass  
Finishes: CP/SC/SN/PVD




Shower hinge | SH0602

**Features**  
EN 1935 certified  
Self-closes within 25 degrees of closed position  
90-degree glass-to-glass connection  
For 8-12 mm glass  
Maximum load: 45 kg per pair  
Non-handed  
Material: brass  
Finishes: CP/SC/SN/PVD




Shower hinge | SH0203

**Features**  
EN 1935 certified  
Self-closes within 25 degrees of closed position  
135-degree glass-to-glass connection  
For 8-12 mm glass  
Maximum load: 45 kg per pair  
Non-handed  
Material: brass  
Finishes: CP/SC/SN/PVD




Shower hinge | SH0603

**Features**  
EN 1935 certified  
Self-closes within 25 degrees of closed position  
135-degree glass-to-glass connection  
For 8-12 mm glass  
Maximum load: 45 kg per pair  
Non-handed  
Material: brass  
Finishes: CP/SC/SN/PVD




Shower hinge | SH0204


**Features**  
EN 1935 certified  
Self-closes within 25 degrees of closed position  
180-degree glass-to-glass connection  
For 8-12 mm glass  
Maximum load: 45 kg per pair  
Non-handed  
Material: brass  
Finishes: CP/SC/SN/PVD



Shower hinge | SH0604


**Features**  
EN 1935 certified  
Self-closes within 25 degrees of closed position  
180-degree glass-to-glass connection  
For 8-12 mm glass  
Maximum load: 45 kg per pair  
Non-handed  
Material: brass  
Finishes: CP/SC/SN/PVD






Shower hinge | SH0401

**Features**  
EN 1935 certified  
Self-closes within 25 degrees of closed position  
90-degree glass-to-wall connection  
For 8-12 mm glass  
Maximum load: 45 kg per pair  
Non-handed  
Material: brass  
Finishes: CP/SC/SN/PVD




Shower hinge | SH0402

**Features**  
EN 1935 certified  
Self-closes within 25 degrees of closed position  
90-degree glass-to-glass connection  
For 8-12 mm glass  
Maximum load: 45 kg per pair  
Non-handed  
Material: brass  
Finishes: CP/SC/SN/PVD




Shower hinge | SH0403

**Features**  
EN 1935 certified  
Self-closes within 25 degrees of closed position  
135-degree glass-to-glass connection  
For 8-12 mm glass  
Maximum load: 45 kg per pair  
Non-handed  
Material: brass  
Finishes: CP/SC/SN/PVD




Shower hinge | SH0404

**Features**  
EN 1935 certified  
Self-closes within 25 degrees of closed position  
180-degree glass-to-glass connection  
For 8-12 mm glass  
Maximum load: 45 kg per pair  
Non-handed  
Material: brass  
Finishes: CP/SC/SN/PVD




Shower hinge | SH0801

**Features**  
Complies with EN 1935  
Mounting angle adjustable +/-15 degrees  
Self-closes within 25 degrees of closed position  
90-degree glass-to-wall connection  
For 8-12 mm glass  
Maximum load: 45 kg per pair  
Non-handed  
Material: brass  
Finishes: CP/SC/SN/PVD




Shower hinge | SH0802

**Features**  
Complies with EN 1935  
Mounting angle adjustable +/-15 degrees  
Self-closes within 25 degrees of closed position  
90-degree glass-to-glass connection  
For 8-12 mm glass  
Maximum load: 45 kg per pair  
Non-handed  
Material: brass  
Finishes: CP/SC/SN/PVD




Shower hinge | SH0803

**Features**  
Complies with EN 1935  
Mounting angle adjustable +/-15 degrees  
Self-closes within 25 degrees of closed position  
135-degree glass-to-wall connection  
For 8-12 mm glass  
Maximum load: 45 kg per pair  
Non-handed  
Material: brass  
Finishes: CP/SC/SN/PVD



SH0804


**Features**  
Complies with EN 1935  
Mounting angle adjustable +/-15 degrees  
Self-closes within 25 degrees of closed position  
180-degree glass-to-wall connection  
For 8-12 mm glass  
Maximum load: 45 kg per pair  
Non-handed  
Material: brass  
Finishes: CP/SC/SN/PVD






Shower hinge | SH0901

**Features**  
Complies with EN 1935  
Concealed fixings  
Self-closes within 25 degrees of closed position  
90-degree glass-to-wall connection  
For 8-12 mm glass  
Maximum load: 45 kg per pair  
Non-handed  
Material: brass  
Finishes: CP/SC/SN/PVD




Shower hinge | SH0902

**Features**  
Complies with EN 1935  
Concealed fixings  
Self-closes within 25 degrees of closed position  
90-degree glass-to-glass connection  
For 8-12 mm glass  
Maximum load: 45 kg per pair  
Non-handed  
Material: brass  
Finishes: CP/SC/SN/PVD




Shower hinge | SH0903

**Features**  
Complies with EN 1935  
Concealed fixings  
Self-closes within 25 degrees of closed position  
135-degree glass-to-glass connection  
For 8-12 mm glass  
Maximum load: 45 kg per pair  
Non-handed  
Material: brass  
Finishes: CP/SC/SN/PVD




Shower hinge | SH0904

**Features**  
Complies with EN 1935  
Concealed fixings  
Self-closes within 25 degrees of closed position  
180-degree glass-to-glass connection  
For 8-12 mm glass  
Maximum load: 45 kg per pair  
Non-handed  
Material: brass  
Finishes: CP/SC/SN/PVD




Shower hinge | SH1001

**Features:**  
Complies with EN 1935  
90-degree glass-to-wall connection  
For 8-12 mm glass  
Maximum load: 45 kg per pair  
Continuous shower seal  
Non-handed  
Materialsbrass  
Finishes:CP/SC/SN/PVD




Shower hinge | SH1003


**Features:**  
Complies with EN 1935  
135-degree glass-to-glass connection  
For 8-12 mm glass  
Maximum load: 45 kg per pair  
Continuous shower seal  
Non-handed  
Materialsbrass  
Finishes:CP/SC/SN/PVD



Shower hinge | SH1004

**Features:**  
Complies with EN 1935  
180-degree glass-to-glass connection  
For 8-12 mm glass  
Maximum load: 45 kg per pair  
Continuous shower seal  
Non-handed  
Materialsbrass  
Finishes:CP/SC/SN/PVD






GDH0005


Features:  
Material: 304 stainless steel  
Finishes: SS/PSS/PVD

| Dimensions | Dimensions |
|------------|------------|
| M=200mm    | N=500mm    |
| M=275mm    | N=425mm    |
| M=305mm    | N=450mm    |




GDH0006

Features:  
Material: 304 stainless steel  
Finishes: SS/PSS/PVD




GDH0007

Features:  
Material: 304 stainless steel  
Finishes: SS/PSS/PVD




FD0002

Features:  
Material: 304 stainless steel  
Finishes: SS/PSS




FD0001

Features:  
Material: 304 stainless steel  
Finishes: SS/PSS



FD0003


Features:  
Material: 304 stainless steel  
Finishes: SS/PSS/PVD






FD0004

Features:  
Material: 304 stainless steel  
Finishes: SS/PSS




FD0005

Features:  
Material: 304 stainless steel  
Finishes: SS/PSS




FD0006

Features:  
Material: 304 stainless steel  
Finishes: SS/PSS/PVD





WP0001

Features:  
Material: PVC  
For 8/10/12 mm glass  
90-degree glass door side seal




WP0002


Features:  
Material: PVC  
For 8/10/12 mm glass  
135-degree glass door side seal



WP0003



Features:  
Material: PVC  
For 8/10/12 mm glass  
180-degree glass door side seal






WP0004

Features:  
Material: PVC  
For 8/10/12 mm glass  
Bottom shower door seal




WP0005

Features:  
Material: PVC  
For 8/10/12 mm glass  
Wall-side shower seal




WP0006

Features:  
Material: PVC  
For 8/10/12 mm glass  
Magnetic seal for 90- or 180-degree glass doors




Towel bar | BA0901

Features  
Material: brass  
Finishes: SN/CP




Towel rack | BA0902

Features  
Material: brass  
Finishes: SN/CP




Toilet roll holder | BA0903


Features  
Material: brass  
Finishes: SN/CP



Robe hook | BA0904


Features  
Material: brass  
Finishes: SN/CP






Towel bar | BA0601

Features  
Material: brass  
Finishes: SN/CP




Towel rack | BA0602

Features  
Material: brass  
Finishes: SN/CP





Toilet roll holder | BA0603

Features  
Material: brass  
Finishes: SN/CP




Robe hook | BA0604

Features  
Material: brass  
Finishes: SN/CP




Towel bar | BA0701

Features  
Material: brass  
Finishes: SN/CP




Towel ring | BA0702

Features  
Material: brass  
Finishes: SN/CP




Toilet roll holder | BA0703


Features  
Material: brass  
Finishes: SN/CP



Robe hook | BA0704


Features  
Material: brass  
Finishes: SN/CP






Towel bar | BA0801

Features  
Material: brass  
Finishes: SN/CP




Towel ring | BA0802

Features  
Material: brass  
Finishes: SN/CP




Toilet roll holder | BA0803

Features  
Material: brass  
Finishes: SN/CP




Robe hook | BA0804

Features  
Material: brass  
Finishes: SN/CP




Magnifying mirror | MR0003

Features  
Material: brass  
Finish: CP  
Wall-mounted extendable mirror, 3x-5x magnification




Magnifying mirror | MR0004

Features  
Materials: brass and zinc alloy  
Finish: CP  
Wall-mounted extendable LED mirror, 3x-5x magnification



Magnifying mirror | MR0005


Features  
Materials: brass and zinc alloy  
Finish: CP  
Wall-mounted extendable LED mirror, 3x-5x magnification







Magnifying mirror | MR0201

**Features**  
Materials: brass and zinc alloy  
Finish: CP  
Wall-mounted extendable LED mirror, 3x-5x magnification




Magnifying mirror | MR0202

**Features**  
Materials: brass and zinc alloy  
Finish: CP  
Wall-mounted extendable LED mirror, 3x-5x magnification




Magnifying mirror | MR0203

**Features**  
Material: brass  
Finish: CP  
Wall-mounted extendable mirror, 3x-5x magnification



GB0001

**Features**  
Material: 304 stainless steel  
Finishes: SS/PSS




| A   | B   | C         |
|-----|-----|-----------|
| 800 | 212 | Ø19/25/32 |



GB0002

**Features**  
Material: 304 stainless steel  
Finishes: SS/PSS




| A   | B    | C   | D   | E   | F         |
|-----|------|-----|-----|-----|-----------|
| 800 | 78.6 | 800 | 270 | 223 | Ø19/25/32 |



GB0003

**Features**  
Material: 304 stainless steel  
Finishes: SS/PSS




| A   | B   | C   | D   | E   | F  | G         |
|-----|-----|-----|-----|-----|----|-----------|
| 690 | 800 | 800 | 270 | 223 | 80 | Ø19/25/32 |



GB0004

Features

Material: 304 stainless steel  
Finishes: SS/PSS




| A   | C   | D   | E   | G         |
|-----|-----|-----|-----|-----------|
| 457 | 610 | 457 | 457 | Ø19/25/32 |



GB0005

Features

Material: 304 stainless steel  
Finishes: SS/PSS




| A   | B   | C   | D   | E    | G         |
|-----|-----|-----|-----|------|-----------|
| 460 | 550 | 192 | 250 | 78.6 | Ø19/25/32 |



GB0006

Features

Material: 304 stainless steel  
Finishes: SS/PSS




| A   | B   | C    | D   | E   | F         | G   |
|-----|-----|------|-----|-----|-----------|-----|
| 700 | 700 | 78.6 | 700 | 700 | Ø19/25/32 | 507 |



Grab rail | GB0007

Features

Material: 304 stainless steel  
Finishes: SS/PSS  
Folds away to save space



Shower seat | GB0008

Features

Material: 304 stainless steel  
Finishes: SS/PSS

